

WHAT IS CLAIMED IS:

1. A network apparatus comprising:
- a main device linked to a network represented by the Internet, and
 - a portable remote controller device for remotely controlling said main device by means of communication, wherein said remote controller device includes:
 - access destination specifying means for specifying an access destination to said main device; and
 - display means for displaying information sent from said main device, and wherein
- said main device includes:
- access means for accessing the access destination specified by said remote controller device and obtaining information therefrom; and
 - information sending means for sending the information obtained by said access means to said remote controller device.
2. The network apparatus according to Claim 1, wherein:
- said remote controller device further includes:
 - identification code storage means for storing an identification code identifying itself;
 - said access destination specifying means serving as means for sending said identification code; and
 - said main device further includes:

access destination storage means for storing the identification code of said remote controller device and the access destination in a one-to-one correspondence; said access means serving as means for accessing the access destination corresponding to the identification code of said remote controller device received.

3. The network apparatus according to Claim 2, wherein
said access destination storage means serves as means
for storing a mail address as the access destination.

4. The network apparatus according to any preceding claims
~~claim 1 to 3, wherein~~

said display means of said remote controller device includes:

title displaying means for displaying a title of the information sent from said main device.

5. The network apparatus according to Claim 4, wherein
said display means of said remote controller device
serves as means for, when the title displayed on said title
display means is specified, displaying the information
corresponding to the title specified.

Sub
A-2 7

said remote controller device further includes display disabling means for, when the information sent from said main device to said display means is not appended with its own identification code, disabling display of the information.

Sub 3

ADD
A-3 7